the label or adhesive in that area, so that investigators will have evidence that a label was originally present.

- (vi) Alteration of the number on the label must leave traces of the original number or otherwise visibly alter the appearance of the label material.
- (vii) The label and the number shall be resistant to counterfeiting.
- (viii) The logo or some other unique identifier of the vehicle manufacturer must be placed in the material of the label in a manner such that alteration or removal of the logo visibly alters the appearance of the label.
- (2) Other means of identification. (i) Removal or alteration of any portion of the number must visibly alter the appearance of the section of the vehicle part on which the identification is marked.
- (ii) The number must be placed on each part specified in paragraph (a) of this section in a location that is visible without further disassembly once the part has been removed from the vehicle
- (iii) The number must be placed entirely within the target area specified by the original manufacturer for that part, pursuant to paragraph (e) of this section, on each part specified in paragraph (a) of this section.
- (e) Target areas. (1) Each manufacturer that is the original producer who installs or assembles the covered major parts on a line shall designate a target area for the identifying numbers to be marked on each part specified in paragraph (a) of this section for each of its lines subject to this standard. The target area shall not exceed 50 percent of the surface area on the surface of the part on which the target area is located.
- (2) Each manufacturer subject to paragraph (e)(1) of this section shall, not later than 30 days before the line is introduced into commerce, inform NHTSA in writing of the target areas designated for each line subject to this standard. In those instances where a manufacturer has submitted this target area information to NHTSA with a request for confidential treatment pursuant to 49 CFR part 512, the manufacturer must also submit a complete copy of the target area information within seven (7) days after the informa-

tion becomes public, or the new line is released for sale to the public, whichever comes first. The information must be submitted to: Docket Management, Room W12–140, West Building, Ground Floor, 1200 New Jersey Avenue, SE., Washington, DC 20590 by any of the following methods. In all cases, the docket number for the submission, (Docket No. NHTSA–2009–0069) must be cited.

- (i) Electronic submission to the Federal eRulemaking Portal: http://www.regulations.gov. Follow the instructions for submitting information.
- (ii) By U.S. Mail: Docket Management Facility: U.S. Department of Transportation, 1200 New Jersey Avenue, SE., West Building, Ground Floor, Room W12-140, Washington, D.C. 20590.
- (iii) Hand delivery or by courier: 1200 New Jersey Avenue, SE., West Building, Ground Floor, Room W12–140, Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. *Telephone*: 1–800–647–5527.
 - (iv) By Fax transmission: (202) 493–2251.
- (3) The target areas designated by the original vehicle manufacturer for a part on a line shall be maintained for the duration of the production of such line, unless a restyling of the part makes it no longer practicable to mark the part within the original target area. If there is such a restyling, the original vehicle manufacturer shall inform NHTSA of that fact and the new target area, in accordance with the requirements of paragraph (e)(2) of this section.

[59 FR 64168, Dec. 13, 1994, as amended at 69 FR 17967, Apr. 6, 2004; 76 FR 24403, May 2, 2011]

§ 541.6 Requirements for replacement parts.

(a) Each replacement part for a part specified in §541.5(a) must have the registered trademark of the manufacturer of the replacement part, or some other unique identifier if the manufacturer does not have a registered trademark, and the letter "R" affixed or inscribed on such replacement part by means that comply with §541.5(d), except as provided in paragraph (d) of this section. In the case of replacement parts subject to the marking requirements of this section, which were not originally

§ 541.6

manufactured for sale in the United States, the importer of the part shall inscribe its registered trademark, or some other unique identifier if the importer does not have a registered trademark, and the letter "R" on the part by means that comply with §541.5(d)(2), except as provided in paragraph (d) of this section.

- (b) A replacement part subject to paragraph (a) of this section shall not be marked pursuant to \$541.5.
- (c) The trademark and the letter "R" required by paragraph (a) of this section must be at least one centimeter high.
- (d) The trademark and the letter "R" required by paragraph (a) of this section must be placed entirely within the target area specified by the vehicle manufacturer, pursuant to paragraph (e) of this section.
- (e) Target areas. (1) Each manufacturer that is the original producer or assembler of the vehicle for which the replacement part is designed shall designate a target area for the identifying symbols to be marked on each replacement part subject to the requirements of paragraph (a) of this section. Such target areas shall not exceed 25 percent of the surface area of the surface on which the replacement part marking will appear.
- (2) The boundaries of the target area designated under paragraph (e)(1) of this section shall be at least 10 centimeters at all points from the nearest boundaries of the target area designated for that part under §541.5(e) of this part.
- (3) Each manufacturer subject to paragraph (e)(1) of this section shall inform NHTSA in writing of the target areas designated for each replacement part subject to paragraph (a) of this section, at the same time as it informs the agency of the target area designated for the original equipment of the line, pursuant §541.5(e)(2) of this part. In those instances where a manufacturer has submitted this target area information to NHTSA with a request for confidential treatment under 49 CFR part 512, the manufacturer shall also submit a complete copy of the target area information within seven (7) days after the information has become public or the

new line has been released for sale to the public, whichever comes first. The information should be submitted to: Docket Management, Room W12–140, Ground Floor, 1200 New Jersey Avenue, SE., Washington, DC 20590 by any of the following methods. In all cases, the docket number for the submission, (Docket No. NHTSA–2009–0069) must be cited.

- (i) Electronic submission to the Federal eRulemaking Portal: http://www.regulations.gov. Follow the instructions for submitting information.
- (ii) By U.S. Mail: Docket Management Facility: U.S. Department of Transportation, 1200 New Jersey Avenue, SE., West Building, Ground Floor, Room W12–140, Washington, DC 20590.
- (iii) Hand delivery or by courier: 1200 New Jersey Avenue, S.E., West Building, Ground Floor, Room W12–140, Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. *Telephone*: 1–800–647–5527.
 - (iv) By Fax transmission: (202) 493-2251.
- (4) The target area designated by the original vehicle manufacturer for the parts subject to the requirements of paragraph (a) of this section shall be maintained for the duration of the production of such replacement part, unless a restyling of the part makes it no longer practicable to mark the part within the original target area. If there is such a restyling, the original vehicle manufacturer shall inform NHTSA of that fact and the new target area, in accordance with the requirements of paragraph (e)(3) of this section.
- (f) Each replacement part must bear the symbol "DOT" in letters at least one centimeter high within 5 centimeters of the trademark and of the letter "R", and entirely within the target area specified under paragraph (d) of this section. The symbol "DOT" constitutes the manufacturer's certification that the replacement part conforms to the applicable theft prevention standard, and shall be inscribed or affixed by means that comply with paragraph (a) of this section. In the case of replacement parts subject to the requirements of paragraph (a) of this section, which were not originally manufactured for sale in the United States, the importer shall inscribe the

Nat'l Highway Traffic Safety Admin., DOT

Pt. 541, App. A-1

"DOT" symbol before the part is imported into the United States.

[50 FR 43190, Oct. 24, 1985, as amended at 76 FR 24403, May 2, 2011]

APPENDIX A TO PART 541—LIGHT DUTY TRUCK LINES SUBJECT TO THE RE-QUIREMENTS OF THIS STANDARD

Manufacturer	Subject lines	
General Motors	Chevrolet S-10 Pickup. GMC Sonoma Pickup.	

[69 FR 17967, Apr. 6, 2004]

APPENDIX A–I TO PART 541—LINES WITH ANTITHEFT DEVICES WHICH ARE EXEMPTED FROM THE PARTS-MARKING REQUIREMENTS OF THIS STANDARD PURSUANT TO 49 CFR PART 543

Manufacturer	Subject lines	Manufacturer	Subject lines
BMW	MINI.		Saturn Aura.
	X1.	HONDA	Acura TL.
	X3.		Civic.1
	X5.	HYUNDAI	Azera.
	Z4.		Genesis.
	1 Car Line.	Equus (originally codenamed	
	3 Car Line.	VI)	
	4 Car Line.1	JAGUAR	F-Type.1
	5 Car Line.		XJ.
	6 Car Line.		XK.
	7 Car Line.		Land Rover LR2.2
HRYSLER	300C.		Land Rover Range Rover
	Jeep Cherokee.1		Evoque.
	Fiat 500.	KIA	Amanti.
	Town and Country MPV.	MASERATI	Quattroporte.1
	Jeep Grand Cherokee.	MAZDA	2.
	Jeep Patriot.		2.
	Jeep Patriot. Jeep Wrangler.		m the parts marking require-
		ments beginning with MY 2014	•
	Dodge Charger.	² Granted an exemption fro	om the parts marking require-
	Dodge Challenger.	ments beginning with MY 2013	
	Dodge Dart.		0.1: .1:
	Dodge Journey.	Manufacturer	Subject lines
-000 110700 00	Dodge Magnum (2008).		
ORD MOTOR CO	C-Maxx.		3.
	Edge.1		5.
	Escape.		6.
	Explorer.		CX-5.
	Focus.		CX-7.
	Fusion.		CX-9.
	Lincoln Town Car.		MX-5 Miata.
	Mustang.		Tribute.
	Mercury Mariner.	MERCEDES-BENZ	smart USA fortwo.
	Mercury Grand Marquis.		SL-Class (the models within
	Mercury Sable.		this line are):
	Taurus.		SL550.
	Taurus X.		SL55.
ENERAL MOTORS	Buick Lucerne.		SL 63/AMG.
	Buick LaCrosse.		SL 65/AMG.
	Buick Verano.		SLK-Class (the models within
	Cadillac ATS.1		this line are):
	Cadillac CTS.		SLK 300.
	Cadillac DTS/Deville.		SLK 350.
	Cadillac XTS/Deville.		SLK 55 AMG.
	Chevrolet Camaro.		S-Class/CL-Class (the models within this line are):
	Chevrolet Cobalt (2005-		S450.
	2010).		
	Chevrolet Corvette.		S500.
	Chevrolet Cruze.		S550.
	Chevrolet Equinox.		S600.
	Chevrolet Impala/Monte		S55.
	Carlo.		S63 AMG.
	Chevrolet Malibu.		S65 AMG.
	Chevrolet Sonic.		CL55.
	GMC Terrain.		CL65.
	Pontiac G6.		CL500.